



SPECIFICATION SHEET

Specification of Low Aromatic White Spirit (LAWS) high FBP			
CHARACTERISTICS	UNITS	RESULT	TEST METHOD
Density	Kg/m ³	0.79-0.8 min	ASTM D1298
Distillation	--	--	ASTM D86
I.B.P	°C	142-158	ASTM D86
F.B.P	°C	210-230	ASTM D86
10% Evaporated	°C	158 min	ASTM D86
60% Evaporated	°C	198 max	ASTM D86
90% Evaporated	°C	230 max	ASTM D86
Residue	Vol%	1.5 max	ASTM D86
Color Say Bolt	--	30 min	ASTM D156
Odor	--	Merchantable	--
Flash Point	°C	38 min	ASTM D56
Corrosion-3hrs@100°C	--	10	ASTM D130
Sulphur Total	ppm	800 max	ASTM D4294
Doctor Test	--	Negative	ASTM D4952
Aromatic Content	Vol%	20 max	ASTM D1319
Gum Existent	Mg/100 ml	5 max	ASTM D381
Neutrality	--	Pass	ASTM BS.245
Acidity of Residue	--	Pass	ASTM D1093